




EIBENSTOCK
Elektrowerkzeuge

100 1919
JAHRE 2019



PROFESSIONAL
GERMAN SINCE 1919
POWER TOOLS



**DUST
PROTECTION
SYSTEM**

Mineral dust may cause cancer!

CUTTING SYSTEM

ETR 230

The flexible system for dustfree cutting



EIBENSTOCK

Cutting system ETR 230



now



in the past

The flexible system for dustfree cutting

The new cutting & grinding system ETR 230 with a powerful **2600 W** motor is designed for cutting mineral materials such as concrete or natural stone. Due to the **specifically developed robust suction hood with guide carriage**, a **largely dust-free cutting process** is ensured up to a **maximum cutting depth of 65 mm**.

Examples of use are the **cutting of roof tiles, slabs and panels, breakthroughs in brickwork, slits in expansion joints** and the **cutting of heavy concrete blocks**. The tool is therefore suitable for a broad spectrum of uses in gardening and landscaping, building construction and civil engineering as well as, for example, roofers.



Cutting of concrete curbs



Breakthroughs into brickwork



Cutting of roof tiles

Nozzle diameter Ø 35 mm – connection to industrial vacuum cleaner DSS 25/DSS 50/DSS 35 M iP

Metal guard and guide plate – robust

Spindle lock – easy tool change

Vibration damped handle mountable in different positions

Electronic – soft start

Immersion function – precise cuts, you can begin the cut with the machine in the working area

ergonomic Lock-on button with protection against unintentional switching on

Cutt-off carbon brushes – to protect the motor

Continuous cutting depth adjustment without the need for any tools (5-65 mm) – precise cuts

5-65 mm

Ø 230



Slit of expansion joints



Slit of expansion joints



Cutting of terrace slabs



EIBENSTOCK

Quality power tools since 1919

Specifications	ETR 230
Power input	2600 W
Rated voltage	230 V ~
No-load speed	6.500 rpm
Max. disc Ø	230 mm
Spindle connection	22.2 mm
Max. cutting depth	65 mm
Weight without cutting disc	7.5 kg
Order no.	06812000
Supplied	in a case with dust guard, protection guard, diamondcutting disc Ø 230 mm and assembly tools



Supply in a praktical case



Guard for cutting metal –
360° adjustable, included in delivery

Accessories	Description	Order no.
	Diamond cutting disc premium Ø 230 mm for hard materials	37448000

We also recommend:		
	Industrial vacuum cleaner DSS 25 A wet/dry vacuum cleaner, 1400 W, 25 l tank volume	09915000
	Industrial vacuum cleaner DSS 50 A wet/dry vacuum cleaner, 1400 W, 50 l tank volume	09916000
	Industrial vacuum cleaner DSS 35 M iP wet/dry vacuum cleaner 1600 W, 35 l tank volume	09919000



EIBENSTOCK

Elektrowerkzeuge GmbH Eibenstock
Auersbergstraße 10
D-08309 Eibenstock

Phone: +49 (0) 3 77 52 - 50 30
Fax: +49 (0) 3 77 52 - 20 19
Internet: www.eibenstock.com
E-Mail: office@ee-eibenstock.de

Zertifiziert nach DIN EN ISO 9001:2008
Technical changes excepted! Illustrations may vary!

Your dealer:

19264000 - Stand 02/15